

LIST PRICE SCHEDULE Effective: July 15, 1972



OLIVER POWER AMPLIFIER HEADS

H-100	. 225.00 . 240.00 . 330.00 . 400.00
OLIVER BASS AMPS	
B-1003 Controls, 3 Inputs, 90 watts PMP (35 RMS), 15" Speaker, 1-pc. Unit	. 290.00
B-200as above, with Two (2) Heavy-Duty 15" Speakers	. 535.00 . 370.00
OLIVER GUITAR AMPS—ALL WITH REVERB	
G-150RMultiple Controls, 2 Channels, 4 Inputs, 90 watts PMP (35 RMS), 15" Speaker, 1-pc. Unit	. 440.00 . 600.00
OLIVER COLUMNS	
C-412Four (4) Heavy-Duty 12" Speakers, Double Jack and Fuse (rear mounted), Heavy-Duty 54" Cabine with 3 Handlesea	
OLIVER ORBITAL POWER PROJECTOR	
OP-1Rotating Horn with Infinite Speed Control	. 275.00
OLIVER ACCESSORIES	
FS-280 Standard Single Foot Switch fits PA-100XR, PA-150XR, PA-200XR, H-100R and Horn Jack of OP-1 FS-290 Standard Double Foot Switch fits all models with Reverb and Tremolo FS-480 Special Single Foot Switch (Mode Jack on OP-1 only) S-1 Fitzall Dolly (quick detach) B-10 Cover (Head only) fits B-150, B-200, G-400R B-19 Cover (Head only) fits H-100, H-100R, PA-100X, PA-100XR B-24 Cover (Bottom only) fits B-150 B-32 Cover fits Amps B-100, B-120, G-150R B-36 Cover fits Amps G-200R, B-212, G-2400R B-37 Cover (Bottom only) fits B-200, G-400R	. 12.00 . 16.00 . 24.00 . 8.00 . 8.00 . 13.00 . 17.00



operating and maintenance instructions

MODEL B-120 UNIFLEX BASSAMP

CONGRATULATIONS: You are now the owner of the finest amplifier made. It has been designed and handcrafted to give you many years of high quality, trouble free performance.

Please read and return the warranty card for validation of your warranty.


Read the operating instructions.

Talk to your authorized OLIVER dealer. His knowledge and experience can be helpful to you.

OPERATING INSTRUCTIONS:

POWER LINE CONNECTION: The power cord is stored in the amplifier chassis compartment. Connect the plug to any convenient outlet 105/117 volt 50/60 cycle.

POWER SWITCH: Move toggle switch to the on position and allow a few moments for warm up. Pilot light will indicate that power is on.



VOLUME CONTROL: Turn clockwise to increase volume of sound.

TONE CONTROLS: These controls are specialized volume controls which enable you to set the response of the high range, mid range, and low range in any combination.

THE FOLLOWING PROCEDURE IS RECOMMENDED IN SETTING UP YOUR AMPLIFIER.

Turn volume and tone controls of your instrument (not the amplifier) at maximum output. These may be readjusted after your amplifier controls are set. Set the amplifier volume control at half way point. Set the amplifier bass, mid-range and treble controls at the half way point. Set the ultra-high and ultra-bass controls at the extreme counter clockwise position. For a brighter sound increase the treble control. If you reach maximum and still wish more brightness increase the Ultra-High control. For more bass increase the bass control. If you reach maximum and still wish more bass increase the Ultra-Bass control.

Experimentation will help you determine the final settings of the amplifier to give you the sound you want.

The Mid-Range control causes the greatest change in effective volume and adds more punch to the output of most instruments.

CARE AND MAINTENANCE

Your OLIVER amplifier is engineered and built to exacting standards. Should your amplifier require service, we suggest you check with your authorized OLIVER dealer for the address of the nearest OLIVER service center.

Sometimes line disturbances may cause an objectionable hum. To eliminate this simply reverse the power cord plug in the outlet.

FUSE: REPLACE FUSE WITH 3 AMP FUSE ONLY.

The case covering may be cleaned with any mild soap, detergent or vinyl cleaner. A lustrous finish may be added by using any available vinyl wax.





operating and maintenance instructions UNIFLEX GUITAR AMP

1999999

DLIVER CUSO A

MODEL G-150R MCDEL G-200R

CONGRATULATIONS: You are now the owner of the finest amplifier made. It has been designed and handcrafted to give you many years of high quality, trouble free performance.

Please read and return the warranty card for validation of your warranty.

range, mid range, and low range in any combination.

THE FOLLOWING PROCEDURE IS RECOMMENDED IN SETTING UP YOUR AMPLIFIER.


Turn volume and tone controls of your instrument (not the amplifier) at maximum cutput. These may be readjusted after your amplifier controls are set. Set the amplifier volume control at half way point. Set the amplifier bass, mid-range and treble controls at the half way point. Set the ultra-high control at the extreme counter clockwise position. For a brighter sound increase the treble control. If you reach maximum and still wish more brightness increase the Ultra-high control if you are using channel one. Experimentation will help you determine the final settings of the amplifier to give you the sound you want.

CARE AND MAINTENANCE:

Your OLIVER amplifier is engineered and built to exacting standards; however, should your amplifier require service we suggest you check with your authorized OLIVER dealer for the address of the nearest OLIVER service center.

FUSE: REPLACE FUSE WITH 3 AMP FUSE ONLY.

The case covering may be cleaned with any mild soap, detergent or vinyl cleaner. A lustrous finish may be added by using any available vinyl wax.





OLIVER SOUND CO., INC. 65 KINKEL STREET WESTBURY, N. Y. 11590 (516) 333-3770



JESS OLIVER

Expert Electronic Service
Modifications, Tuning & Repairing
Organs • Pianos • Guitar Pickups
Amplifiers • Synthesizers • Etc.



MUSICAL INSTRUMENT AMPLIFIERS and VOICE AMPLIFICATION SYSTEMS



SOUND COMPANY INC.


65 KINKEL STREET, WESTBURY, N. Y. 11590 516/333-3770



VER AMPLIFIERS

Recommended for Bass, Organ or any instrument where Reverb and Tremolo are not required.

300 W DUOFLEX




FEATURES: • 4 Oliver 15" Special Design Extra Heavy Duty Speakers • Single Channel, 2 Inputs Individual volume, bass, mid-range, treble, ultra high and ultra bass controls
 360° turn detachable dolly • Piggy back type construction

OLIVER EXCLUSIVE FEATURES: • Stagger tuned speaker system for increased efficiency and low frequency power handling capacity.

Head: 31" x 10" x 10" Weight: 75 lbs. Speaker System: 56" x 31" x 15" Weight: 125 lbs. PRICE..........\$1200.00

OPTIONS: Available with four JBL D140F speakers Specify Model L300W......\$1650.00

B200 DUOFLEX



FEATURES: • 2 Oliver 15" Special Design Extra Heavy Duty Speakers • Twin channels 4 inputs
• Individual volume, bass, mid-range & treble controls for each channel. In addition, Channel 1 has an ultra high control, and Channel 2 an ultra bass control.

 Piggy back type construction


 Heavy Duty 360° turn detachable dolly.

Dimensions: Head: 9" x 191/2" x 10". Wt.: 35 !bs. Speaker System 44" x 221/2" x 15" Weight 75 lbs.

PRICE..... \$499.00 OPTIONS:

ACCESSORIES: Heavy Duty Black Vinyl Covers Head: \$5.00. Speaker Enclosure: \$24.00

B600 DUOFLEX



FEATURES: ● 4 - 15" Oliver Special Design Extra Heavy Duty Speakers ● Twin Channels 4 Inputs ● Individual volume, bass and treble controls for each channel. In addition, Channel 1 has ultra his controls, and channel 2 has ultra bass controls. ● Piggy-back type construction.

Dimensions: Head: 9" x 19"/" x 10" Wt.: 35 lbs. Speaker System: 56" x 31" x 15" Wt.: 115 lbs.

PRICE \$799.00

ACCESSORIES:

Heavy Duty Black Vinyl Covers Head....\$ 5.00 Speaker Enclosures \$ 35.00

P500 **POWERFLEX**



FEATURES: 1 15" Oliver Special Design Extra Heavy Duty Speaker ● Twin channels, 4 inputs Individual volume, bass, & treble controls for each channel • Mid-range & ultra high controls (channel 2) • Heavy Duty 3600 turn detachable OLIVER EXCLUSIVE FEATURES: • Self-


Elevating Power Head • Edge-Lit Control Panel Self Retracting 15' Line Cord

Dimensions: 24" x 221/2" x 14". Weight: 75 lbs. PRICE...... \$525.00

OPTIONS: Available with 1 15" Altec Lansing Speaker. Specify Model P500A \$625.00

Available with additional matching speaker system containing 1 Oliver 15" Special Design Heavy Duty Speaker & 15' self-retracting connecting cord with standard phone plug. Specify Model P500D \$684.00 ACCESSORIES: Heavy Duty black vinyl cover \$ 15.00

P500F **POWERFLEX**



FEATURES: 2 Oliver 15" Special Design Extra Heavy Duty Speakers • Twin channels 4 inputs • Individual volume, bass & treble controls for each channel. • Midrange & ultra high controls (channel 2) • Heavy Duty 360° turn detachable dolly assembly.

OLIVER EXCLUSIVE FEATURES: • Self-Elevating Power Head • Edge-Lit Control Panel . Self-Retracting 15' Line Cord

Dimensions: 41" x 22½" x 14, Weight 90 lbs.
 PRICE
 \$625.00

 OPTIONS: Available with 2 Altec Lansing 15" Speakers. Specify Model P500FA
 \$825.00

ACCESSORIES: H.D. black vinyl cover\$ 25.00

B 150 **DUOFLEX**



FEATURES: 1 Oliver 15" Special Design Extra Heavy Duty Speaker • Twin channels, 4 inputs • Individual volume, bass, mid-range, treble controls for each channel. In addition, Channel 1 has ultra high control, Channel 2 has ultra bass control ● Piggy back type construction ● Heavy Duty 360° turn detachable dolly.


Dimensions: Head: 9" x 19½" x 10" Wt, 35 lbs, Speaker System: 32" x 19" x 11½" Wt, 50 lbs, PRICE......\$399.00

OPTIONS: Available with 1 Altec Lansing 15" Speaker. Specify Model B150A..... \$520.00

ACCESSORIES:

Heavy Duty Black Vinyl covers, Head \$ 5.00 Speaker Enclosure \$ 10.00

P500T **POWERFLEX**



FEATURES: 2 Oliver 12" Special Design Extra Heavy Duty Speakers ● Twin Channels 4 inouts ● Individual volume, bass & treble controls for each channel ● Mid-Range & ultra high controls (Channel 2) ● Heavy Duty 3600 turn detachable dolly assembly.

OLIVER EXCLUSIVE FEATURES: Self-Elevating Power Head • Edge-lit control panel • Self-retracting

Dimensions: 36" x 221/2" x 14". Weight: 80 lbs. PRICE...... \$570.00

OPTIONS: Available with additional matching speaker system containing 2 Oliver 12" Extra Heavy Duty Special Design Speakers & 15" self-retracting connecting cable with standard phone plug. Model P500TD \$784.00

ACCESSORIES:

Heavy Duty black vinyl cover..... \$ 25.00

B120 UNIFLEX



FEATURES: ● 1 Oliver 15" Special Design Heavy Duty Speaker ● Single Channel, 2 inputs ● Indiviual volume. bass, midrange, treble, ultra high & ultra bass controls ● Unitized cabinet type construction.

Dimensions: 32" x 19". x 11½". Weight: 53 lbs.


PRICE.....\$269.00 OPTIONS: Available with 1 Altec Lansing 15" speaker. Specify Model B120A.....\$389.00

ACCESSORIES:



Recommended for Guitar or any instrument where Reverb and Tremolo are required.

P502FA **POWERFLEX**



FEATURES: 2 Altec Lansing 15" Speakers ● Twin Channels, 4 Inputs ● Individual Volume. Bass, & Treble Controls for each channel ● Reverb, Tremolo, Speed & int. Mid-range & Ultra High Controls (Channel Two) ● Heavy Duty 360° turn detachable dolly assembly.

OLIVER EXCLUSIVE FEATURES: • Self-Elevating Power Head • Edge-Lit Control Panel • Self-Retracting 15' Line Cord

Dimensions: 41" x 22%" x 14". Weight 97 lbs. PRICE...... \$934.00 **OPTIONS:** • Available with additional matching

speaker system containing 2 Altec Lansing 15" Speakers & 15' Self-Retracting connecting cable with standard phone plug. Specify Model P502FDA PRICE......\$1310.00

ACCESSORIES:

Heavy Duty black vinyl cover B5F \$ 25.00

G200R UNIFLEX



FEATURES: 2 Oliver 12" Special Design Heavy Duty Speakers • Twin channels, 4 inputs • Individual Volume, Bass, & Treble Controls for each channel Reverb, Tremolo, Mid-range, & Ultra High Controls (Channel One) • Unitized cabinet construction.

Dimensions: 36" x 19" x 111/2". Weight: 65 lbs.

OPTIONS: Available with 2 Altec Lansing 12" Speakers. Specify Model G-200RA....... \$619.00

ACCESSORIES:

Heavy Duty black vinyl cover..... \$ 13.00 Heavy Duty 3600 turn detachable dolly

P502A **POWERFLEX**



FEATURES: ● 1 Altec Lansing 15" Speaker ● Twin Channels 4 Inputs ● Individual Volume, Bass, & Treble Controls for each channel. ● Reverb, Tremolo, speed & Int, Mid-Range and Ultra High Controls (Channel Two) ● Heavy Duty 360° Turn Detachable Dolly Assembly.

OLIVER EXCLUSIVE FEATURES: ● Self-Elevating Power Head ● Edge-Lit Control Panel ● Self Retracting 15' Line Cord.

ACCESSORIES Heavy Duty Black Vinyl Cover B5......\$ 15.00

G150R UNIFLEX




FEATURES: • 1 Oliver 15" Special Design Heavy Duty Speaker • Twin channels 4 inputs • Individual volume, bass & treble controls for each channel Reverb, tremolo, mid-range & ultra high controls (channel one) • Unitized cabinet construction

Dimensions: 32" x 19" x 111/2" Weight: 55 lbs. PRICE.....\$329.00

OPTIONS: Available with one Altec Lansing 15" speaker. Specify Model G150RA,.....\$439.00

ACCESSORIES:

G400R DUOFLEX



FEATURES: • 2 Oliver 15" Special Design Extra Heavy Duty Speakers . Twin channels, 4 inputs • Individual Volume, Bass, & Treble Controls for each channel . Reverb, Tremolo, Speed & Int. Mid-range & Ultra High Controls (Channel One). • Piggy-Back type construction • Heavy Duty

Dimensions: Head: 9" x 19½" x 10". Speaker System: 44" x 22½" x 15". Weight: Head 35 Lbs. Speaker System: 75 lbs.

360° turn detachable dolly

Additional matching speaker system containing 2 Oliver 15" Extra heavy duty special design speakers.

Specify Model G600RD...... \$820.00

ACCESSORIES: Heavy Duty black vinyl covers. Head: \$5.00. Speaker Enclosure: \$24.00

G120R LITTLE DAVID



FEATURES: 1 Oliver 12" Special Design, Heavy Duty Speaker . Single channel 2 inputs . Individual volume, bass, mid-range, treble, reverb, tremolo speed and depth controls.

Dimensions: 28" x 19" x 11%" Weight: 45 lbs.

OPTIONS: Available with one 12" Altec Lansing speaker. Specify Model G120RA.....\$359.50

OLIVER SOUND warrants its products for the lifetime of the original purchaser against defects in material and workmanship. This specifically excludes broken tubes, and loudspeakers with torn or ruptured diaphragms. The obligations of OLIVER SOUND under this warranty are limited to the replacement of material required to replace or repair any part, which under normal usage and service, upon examination by OLIVER SOUND shows evidence of defect. This warranty does not extend or apply to any unit which has been repaired or altered by persons not expressly approved by OLIVER SOUND, nor to any unit the serial number of which has been altered defaced or removed. This warranty is in lieu of all other warranties, expressed or implied, and no other representatives or persons are authorized to assume for OLIVER SOUND any other liability in connection with the sale or use of such products or parts thereof. The warranty extends only to the original consumer purchaser and is not assignable or transferable. OLIVER SOUND shall not be liable for any consequential damage or expense directly or indirectly arising from the use of the product or any inability to use it either separately or in combination with other equipment or product accessories. See warranty card.

Sacras and a superior and a superior





OLIVER PA-100 SERIES

The OLIVER PA 100X Series employs all of the circuitry of the POWERFLEX 500 Series and adapts this powerful amplifier for use with P.A. systems. It is highly recommended for driving the Oliver Sound Projector or any other quality sound system.

PA-100X


- Twin channels, 4 inputs
- Individual Volume, Bass, Treble, Ultra High, and Mid-Range Controls
- Ground Control for Polarity Reversal
- Two Rear Located Speaker Jacks -- 8 & 16 ohm Impedance
- Edge-Lit Control Panel

Price \$ 225.00

PA-100XR

- Twin channels, 4 inputs
- Individual Volume, Bass, Treble, Ultra High, Mid-Range, and Reverb Controls
- Ground Control for Polarity Reversal
- Two Rear Located Speaker Jacks -- 8 & 16 ohm Impedance
- Edge-Lit Control Panel

Price \$ 310.00



PA-100XRT

- Twin channels, 4 inputs
- Individual Volume, Bass, Treble, Ultra High, Mid-Range, Reverb and Tremolo Controls
- Ground Control for Polarity Reversal
- Two Rear Located Speaker Jacks -- 8 & 16 ohm Impedance
- Edge-Lit Control Panel Price \$ 345.00

ACCESSORIES

 Heavy Duty Black Vinyl Cover 	B 19	\$ 7.00
Foot Switches:		
 Single, for Remote Control 		
of Reverb or PA-100XR	FS-1	\$ 6.50
 Double, for all models equip- 		
ped with Reverb & Tremolo	FS-2	\$ 9.00

OLIVER SOUND CO., INC., 65 KINKEL STREET, WESTBURY, N. Y. 11590 516/333-3770

